



Goat

Purina® Goat Nutrition Program

Purina® Goat Grower-Finisher 14 DX .0033

A 14% protein complete feed that supports growth and performance in meat goats. The pelleted feed formulated with Ambitine® technology helps optimize feed consumption and aids in the efficiency of rate of gain. A cost-efficient choice for commercial operations, Purina® Goat Grower-Finisher 14 DX .0033 is highly palatable and nutrient dense.



FEATURE

BENEFIT

Pelleted feed

Reduces sorting and increases feed consumption.

14% protein

Supports growth and performance.

Ambitine® technology

Aids in efficiency and rate of gain.

Deccox®

Helps in the prevention of coccidiosis.

Urinary acidifiers including ammonium chloride and/or ammonium sulfate

Helps reduce the incidence of urinary calculi.



FEED GREATNESS®

Purina® Goat Nutrition Program

Purina® Goat Grower-Finisher 14 DX .0033



Guaranteed Analysis:

NUTRIENT	LEVEL
Crude protein (min.).....	14.00%
Crude fat (min.).....	3.50%
Crude fiber (max.).....	22.00%
Calcium (Ca) (min.)	0.95%
Calcium (Ca) (max.)	1.45%
Phosphorus (P) (min.)	0.60%
Vitamin A (min.)	7,500 IU/LB
Salt (NaCl) (min.)	0.75%
Selenium (Se) (min.)	0.30 PPM
Acid detergent fiber (ADF) (max.).....	24.0%

Ingredients:

Processed Grain By-Products, Roughage Products, Grain Products, Molasses Products, Calcium Carbonate, Soybean Oil, Salt, Ammonium Chloride, Ammonium Sulfate, Plant Protein Products, Vitamin D3 Supplement, Zinc Amino Acid Complex, Sodium Selenite, Dried Aspergillus oryzae Fermentation Product, Dried Aspergillus niger Fermentation Product, Vitamin E Supplement, Dextrose, Cobalt Carbonate, Lactose, Vitamin A Supplement, Fumaric Acid, Benzoic Acid (A Preservative), Propionic Acid (a Preservative), Verxite, Natural Flavor, Ammonium Hydroxide, Manganese Sulfate, Ethylenediamine Dihydroiodide, Zinc Sulfate, Basic Copper Chloride, Artificial Flavor.

Directions:

Feed Purina® Goat Grower-Finisher 14 DX .0033 as a rate of 1.51 lbs. to goats and kids weighing 100 lbs. to provide 22.7 mg decoquinate per 100 lbs. of body weight (0.5 mg/kg) per day. Feed at least 28 days during period of exposure to coccidiosis or when it's likely to be a hazard.

Caution:

Follow label directions: Contains added copper. Don't feed to sheep or other copper sensitive animals. Bentonite shouldn't be used in decoquinate feeds.

Store in a dry, well-ventilated area protected from rodents and insects. Don't feed moldy or insect-infested feed to animals as it may cause illness, performance loss or death. This product was made in a feed manufacturing facility that doesn't handle or store products containing animal proteins prohibited in ruminant feed.

USE ONLY AS DIRECTED.

Visit your local Purina dealer to learn more or visit purinamills.com.



FEED GREATNESS®